	Hits		DBs
1	5076 9	mail.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	8278	S1 and (monitor\$5 or check\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	4475	S1 and (monitor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2311	S1 and (monitor\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	415	S4 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	183	S5 and read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	172	S6 and (stor\$4 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	144	S7 and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	142	S8 and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	105	S9 and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S11 and chamber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	47	S8 and scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
13	2	"6567008".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
14	5076	"6701217".pn.	JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
15	9	mail.ab.	JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
16	ļ <del></del>	S15 and (monitor\$5).ab. S16 and (database or	JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
17	4 2 4	receptacle)	JPO; DERWENT; IBM TDB US-PGPUB; USPAT; EPO;
18		S17 and recipient	JPO; DERWENT; IBM TDB US-PGPUB; USPAT; EPO;
19		S16 and database	JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
		S19 and read\$3	JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;
21	172	S20 and (stor\$4 or sav\$4)	JPO; DERWENT; IBM_TDB

Lerander N

Best Available Copy

	Hits	Search Text	DBs
22	144	S21 and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	85	S22 and recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24		S23 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	144	code WITH stamp with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	114	S25 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	10	S26 and stamp.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	819	code WITH label WITH unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	709	S28 and, (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	83	S29 and label.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	12	S30 and unique.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	electronic adj postage adj unit and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	792	electronic adj1 postage and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	"100154464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

le l'instru

	Hits	Search Text	DBs
35	0	"0154464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	30	"0154464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	"015464.ap."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	0	"15464.ap."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	"10015464".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2	"10015464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	9	"015464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	670	<pre>(electronic adj postage adj meter) and (@pd&lt;"20011212" or @ad&lt;"20011212" or @rlad&lt;"20011212" or @rlpd&lt;"20011212" or @prad&lt;"20011212")</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1 /5	(computer adj meter) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	18	(personal adj computer adj meter) and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	157	S43 NOT S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
46	7565 25	scan\$5 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47		S46 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	4651 1	S47 and (stor\$5 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

(/

11

2/14/2005, EAST Version: 2.0.1.4

		Hits	Search Text	DBs
			S48 and time and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	50	1293 9	S49 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	<b>5</b> 1	3462 91	Mrlade"20011212" or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
′ I	52	16	ICK COUSIL COMO FIMO COMO COFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	53	О	ISSI and ICONTROL add Chamberi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	54	33		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	55	9		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	56	246	(340/569).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	57	0	("landand(@pd<"20011212"or@ad<" 20011212"or@rlad<"20011212"or@r lpd<"20011212"or@prad<"20011212 ")").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	58	0	("land(@pd<"20011212"or@ad<"200 11212"or@rlad<"20011212"or@rlpd <"20011212"or@prad<"20011212")" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	59	150	S56 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

www

ιJ

		Hits	Search Text	DBs
	60	5082 5	mail.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
			S60 and (monitor\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	62	1270 0	mail with (receptacle or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
i	63	559	S62 and scan?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
)	64	0	S62 with scan\$n	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	65	41	S62 with scan?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	66	165	S62 with scan\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	67	129	S66 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	68	2		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	69		information adj3 encrypt\$10 and (@pd<"20011212" or @ad<"20011212" or @rlad<"20011212" or @rlpd<"20011212" or @rlpd<"20011212" or @prad<"20011212")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
,	70	2	l" b / 5 4 3 b b " . pp .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	71	0	"09683380".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	72	3	"683380".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

2/14/2005, EAST Version: 2.0.1.4